



ARDON®
WORKWEAR
& OUTDOOR

ARDON® WIDER LOW S3 ESD

SAFETY SHOES



DRY AIR



DEFUSE
CONTROL



WASH-FRIENDLY



NONMETALLIC



ESD

TECHNICAL SHEET



ARDON[®]
WORKWEAR
& OUTDOOR

ARDON[®] WIDER LOW S3 ESD

SAFETY SHOES

ARTICLE G3411

MATERIAL

Upper nylon fabric/TPU, hydrofobic
 Lining MESH laminated breathable fabric
 Sole phylon/rubber, cemented technology
 Toe cap glassfiber
 Plate kevlar
 Insole Anatomic HI POLY FOAM

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-40	41-43	44-46	47-48
Carton H x W x D (cm)	59,5 x 32x 45	64,5 x 34 x 45	64,5 x 36 x 45	67 x 38,5 x 49
Carton (cbm)	0,0857	0,0987	0,1045	0,1264

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	240	246,7	253,3	260	266,7	273,3	280	286,7	293,3	300	306,7	313,3	320	-	-	-
Foot length	-	23,5	24,2	24,8	25,5	26,2	26,8	27,5	28,2	28,8	29,5	30,2	30,8	31,5	-	-	-

DESCRIPTION

Safety half-boot of a sporty nature with an extra wide toe cap for increased comfort when wear. The lacing runs off the shoe's axis and naturally adapts to the asymmetric human shape legs. The footwear is suitable for outdoor and indoor operations, where a comfortable and durable product is needed.

TECHNICAL SHEET



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2022 Personal protective equipment – Safety footwear

EN IEC 61340-4-3:2018 Electrostatics: Standard test methods for specific application – Footwear

Category S3S SR FO

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR3 - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
HRO - resistance to contact heat up to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
The shoes do not contain metal parts	✓	
-		
-		
-		

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3411/36	8592390349682	11.0	1.10
G3411/37	8592390349699	11.6	1.16
G3411/38	8592390349705	12.1	1.21
G3411/39	8592390349712	12.5	1.25
G3411/40	8592390349729	12.8	1.28
G3411/41	8592390349736	13.0	1.30
G3411/42	8592390349743	13.5	1.35
G3411/43	8592390349750	14.0	1.40
G3411/44	8592390349767	14.8	1.48
G3411/45	8592390349774	15.0	1.50
G3411/46	8592390349781	15.5	1.55
G3411/47	8592390349798	16.0	1.60
G3411/48	8592390349804	16.6	1.66



ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET