



ARDON®
WORKWEAR
& OUTDOOR

ARDON® INTEGRAL-M S1P

SAFETY SHOES



DRY AIR

TECHNICAL SHEET



ARDON®
WORKWEAR
& OUTDOOR

ARDON® INTEGRAL-M S1P

SAFETY SHOES

ARTICLE G3428

MATERIAL

Upper cowhide leather with SPLIT LEATHER design
 Lining laminated breathable fabric MESH
 Sole PU/rubber, two-component spray coating, oil resistant, anti-static, antislip, resistant up to 300 ° C
 Toe cap steel 433
 Plate steel
 Insole BASIC

SIZE
UNIT

39-48
 pair

PACKAGE

Units in a carton
 Units in a box

10 pairs
 1 pair

DIMENSIONS

Carton H x W x D (cm)
 Carton (cbm)

	39-41	43-46	47-48
Carton H x W x D (cm)	59 x 32 x 40	61,5 x 34 x 42	64 x 36 x 44
Carton (cbm)	0,0755	0,0878	0,1014



TECHNICAL SHEET

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	-	-	-	260	267	273	280	287	293	300	306	312	319	-	-	-
Foot length cm	-	-	-	-	25,0	25,7	26,3	27,0	27,7	28,3	29,0	29,6	30,2	30,9	-	-	-

DESCRIPTION

Ankle boots with a sole resistant to contact heat up to 300 °C and with an upper made of leather with the protection metatarsal. These shoes are equipped with a steel toe cap and an anti-puncture steel insole.



ARDON[®]
WORKWEAR
& **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20345:2022

Personal protective equipment - Safety footwear

Category

S1P SR FO HRO M

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR- resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WRU - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
M- metatarsal protection	✓	
HRO - resistance to contact heatup to 300 °C	✓	
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		

TECHNICAL SHEET



ARDON®

**WORKWEAR
& OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3428/39	8592390363190	16,74	1.674
G3428/40	8592390363206	16,87	1.687
G3428/41	8592390363213	17,36	1.736
G3428/42	8592390363220	17,94	1.794
G3428/43	8592390363237	18,08	1.808
G3428/44	8592390363244	19,65	1.965
G3428/45	8592390363251	20,34	2.034
G3428/46	8592390363268	20,89	2.089
G3428/47	8592390363275	21,25	2.125
G3428/48	8592390363282	21,51	2.151



ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET