



ARDON®
WORKWEAR
& OUTDOOR

ARDON® CREATRON® LOW O2 ESD

SAFETY SHOES



DRY AIR



REFLECTIVE



WATER
REPELLENT



NONMETALLIC



ESD

TECHNICAL SHEET



ARDON[®]
WORKWEAR
& OUTDOOR

ARDON[®] CREATRON[®] LOW O2 ESD

SAFETY SHOES

ARTICLE G3414

MATERIAL

Upper PES fabric, hydrofobic
 Lining MESH laminated breathable fabric
 Sole phylon/rubber, cemented technology
 Toe cap -
 Plate -
 Insole Anatomic HI POLY FOAM

SIZE 36-48

UNIT pair

PACKAGE

Units in a carton 10 pairs
 Units in a box 1 pair

DIMENSIONS

	36-39	40-42	43-48
Carton H x W x D (cm)	61 x 32 x 38	63,5 x 34 x 40,5	64x 36,5 x 42
Carton (cbm)	0,0742	0,0874	0,0981



TECHNICAL SHEET

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	241	248	254	260	267	273	280	286	292	299	305	311	318	-	-	-
Foot length	-	23,6	24,3	24,9	25,5	26,2	26,8	27,5	28,1	28,7	29,4	30,0	30,6	31,3	-	-	-

DESCRIPTION

Safety half-boot with a quick-closing lacing system of a proven brand FITGO. A very stable and comfortable sole ensures safety in various types outdoor terrain. The upper of the shoe has an above-standard mechanical resistance stress.



ARDON[®]
WORKWEAR
 & **OUTDOOR**

NORMS

(EU) 2016/425

EN ISO 20347:2022 Personal protective equipment – Occupational footwear

EN IEC 61340-4-3:2018 Electrostatics: Standard test methods for specific application – Footwear

Category O2 SR FO

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR3 - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises	✓	
The shoes do not contain metal parts	✓	
-		
-		
-		

TECHNICAL SHEET



ARDON®

**WORKWEAR
& OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3414/36	8592390354532	11.0	1.10
G3414/37	8592390354549	11.6	1.16
G3414/38	8592390354556	12.1	1.21
G3414/39	8592390354563	12.5	1.25
G3414/40	8592390354570	12.8	1.28
G3414/41	8592390354587	13.0	1.30
G3414/42	8592390354594	13.5	1.35
G3414/43	8592390354600	14.0	1.40
G3414/44	8592390354617	14.8	1.48
G3414/45	8592390354624	15.0	1.50
G3414/46	8592390354631	15.5	1.55
G3414/47	8592390354648	16.0	1.60
G3414/48	8592390354655	16.6	1.66



ARDON®
WORKWEAR
& OUTDOOR





ARDON®

**WORKWEAR
& OUTDOOR**



TECHNICAL SHEET