

## TECHNICAL DATA SHEET

### M60

Ear defenders

Article NO: C4007

Material: ABS shells, PVC cushions  
leather touch

Colour: red

SNR: 25.9 dB

Weight: 271 g



Ear defenders with adapter for helmet.

Value of attenuation:

SNR: 25.9 dB		H: 29.3 dB		M: 23.8 dB		L: 15.5 dB			
Hz	Frequency	63	125	250	500	1000	2000	4000	8000
dB	Mean attenuation	12,4	14,4	17,9	27,3	34,1	34,8	32,8	32,3
dB	Standard deviation	5,2	4,9	4,5	4,2	4,2	4,5	4,6	6,4
dB	Effective protection	7,2	9,4	13,4	23,1	29,9	30,4	28,2	26,0

This personal protective equipment is in conformity with these harmonized European Standards:

EN 352-3:2002 : Hearing protection- General requirements.- Part 3: Ear defenders for industry safety helmet.

Certified by notified body no 2797 (BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands),  
Certificate number CE 724941, dated 19th May 2020.

Pieces in carton: 60  
Polybag packing (pieces): 1  
Carton weight: 19,5 kg  
Carton size: 0,122 m<sup>3</sup>

When worn properly and given adequate care, it provides excellent protection that filters high frequency noise which is found in most noise problems from dynamic machine such as workshop



equipment, motor saws etc. Cleaning with warm soapy water, do not use organic solvents or alcohol for cleaning. It's required to disinfect the ear-muff every 3 months, according to the use. Any part of the ear muff which is in contact with the wearer shall be disinfected with a product suitable for use on plastics and not known to be harmful to the wearer. When not in use, it is recommended to store the ear muff in a clean and dry polybag.

---